

PUMP & FILTRATION SYSTEMS >



Industrial Gear Pumps





Industrial Gear Pumps

Gear pumps transport a wide variety of media in industrial production processes in general, in the chemical industry as well as in the pharmaceutical and food industries. The suitable gear pumps and pump systems can be found in MAAG's wide range of products by plant manufacturers and producers and processors of plastics.

The range of requirements in terms of viscosity, pressure, temperature and corrosivity of the media being conveyed is very wide in the industrial sector.

Our portfolio of industrial gear pumps has exactly the required application depth and, thanks to a sophisticated modular system we can even meet the most difficult requirements reliably.

Thanks to our wide know-how in applications and our very own production, we can optimally design and manufacture the pump tailored to your process.

About us

The MAAG Group is a broadly diversified global solutions provider with integrated and customizable systems in process technology for the polymer, chemical, petrochemical, pharmaceutical and food industries. Its Pump & Filtration Systems, Pelletizing & Pulverizing Systems, Recycling Systems and Digitalization divisions consolidate the many years of experience and in-depth know-how of the AUTOMATIK, ETTLINGER, GALA, MAAG, REDUCTION, SCHEER and XANTEC product brands. The MAAG Group currently employs over 1,100 people at production sites in Switzerland, Germany, Italy, the USA, and China. Additional sales and service centers in France, Taiwan, Malaysia, India, Thailand and Brazil ensure close attention to customers' needs.

Applications for highly specific media

Carbon Fibres



MAAG pumps typically serve as Dope feed/transfer pumps in processing the carbon fibres. Considering the Polyacrylonitrile (PAN) in DMAc Solution, with about 20% of PAN in 80% solvent like DMAc (Dimethylacetamide) or DMSO (Dimethylsulfoxide), also consisting other components and small amounts

of water, the mixture has to be pumped through a tiny injector into a chamber where the solvent evaporates and a solid fibre is left out. For this purpose, MAAG pumps are designed to convey and dose the solution with high efficiency.

Gum Base



Processing of Gum bases (Elastomers, Resins, Waxes, Fats, Emulsifiers, Fillers and Antioxidants) involves several stages such as melting of gum base, mixing with additives and rolling of finished gum. Here, MAAG pumps typically serve, as transfer pumps or as booster pumps in each stage.

Hot Melt - Resin



For Hot melt adhesives used primarily for packaging, textiles, labels, tapes, pressure sensitive applications and other disposable products like stamps, MAAG provides metering/transfer/loading pumps or Booster pumps; for instance, in front of a spray nozzle.

Molten Sulfur



Its production is ever increasing in refineries, natural gas plants, sulphuric acid plants, chemical production such as rubber additives or even in food products. It is also rapidly reaching new industries. Hence, safe handling of molten sulfur and the associated hydrogen sulfide emissions is becoming critical. MAAG pumps usually aid as High Temperature transfer pumps for such precarious applications.

Food & Pharma



MAAG can offer food-compliant pump executions with stainless steel housings/shafts, ceramic bearings and FDA certified sealings. With their good priming capability, MAAG pumps are well suitable in the pharmaceutical process where the temperatures vary widely, media have low viscosity and accuracy of flow rates is extremely important.

Spandex



For this application, MAAG pumps are used as spinning or dosing pumps. Spandex or elastane is a synthetic stretchy chemical fibre known for its exceptional elasticity. It exhibits properties similar to rubber, but is more solid and significantly more durable. Possessing viscosity of up to 1,000,000

mPas, the entire process requires a short dwelling time and is carried out under nitrogen (N2) because the medium reacts to oxygen. MAAG pumps, with their special inlet and seal design, fulfills the necessary requirements of all stages.

Vinyl Alcohol



The production of Ethylene vinyl alcohol copolymer (EVOH) is a two-step process of polymerization and saponification. Ethylene and vinyl acetate are polymerized using an initiator/activator complex. MAAG pumps serve as a transfer pumps for all stages in the process.

Lubrication and refinery products



MAAG offers customized solutions for simple applications such as grease lubrication, liquid oil, atomized oil (oil mist) or in demanding applications for refinery products like hydrocarbons, unrefined petroleum also in presence of hard particles with special bearings, special sealing designs and materials.

Flavours & Fragrances



Usually a mixture of raw products (fruits, herbs, etc.) and a base solvent (alcohol, acids, etc.). When it comes to manufacturing aromas, it's all about the highly accurate dosing of low-viscosity scent and aroma com-


ponents. MAAG pumps serve as low viscous distillate removal and corrosive residue removal pumps or serve as dosing pumps to accurately dose flavor additives into perfume.



Applications at site


MAAG industrial gear pumps are used in various phases in production or media transfer. Gear pumps convey the media from one production phase to the next and therefore are required to work continuously and with reliability. They need to withstand high pressures, high temperatures and highly corrosive materials but at the same time with the highest possible safety for operation.


Unloading from truck to storage silos for various product range



Extraction from the container baths to the purifiers

Loading the storage silos from different phases of production





Unloading from the marine tankers to the process areas



Our pump benefits

- Easy maintenance and replacement of internal parts
- Low NPSHr
- Corrosion resistance
- Extensive portfolio of seals
- In-house manufacturing of all core components
- Low shear

- Reliability and long life
- Precise displacement volume
- Energy efficient
- Dosing accuracy
- Less pulsation during pumping phase
- Wider range of temperature, pressure and viscosity

AN VIL

Our portfolio at a glance

Gear pumps made by MAAG – a sturdy and reliable solution.

Available with Quick Cleaning Kit™

Pump	dosix™	flexinox™	cinox/ therminox	cinox V/ therminox V	refinex/ refitherm	hydrolub
	High		Chemical Res	sistance		Low
- I !						

Example media

Chemicals					
Acids	•	•	•		
Solvents	•	•	•		
Additives	•	•	•		
Watery media, cooling media, Detergents	•	•	•		
Paints varnishes	•	•	•	•	•
Flavours and fragrances	•	•	•		
Molten sulfur	•	•	•		
General	•	•	•		

Resin					
Polyurethane, Isocyanate	•	•			
Polyurethane, Polyol				•	•
Adhesives, Hotmelt	•		•	•	
Epoxy Resin	•	•	•	•	
General	•	•	•	•	

🖺 Plastics				
Spandex			•	
Carbon Fibres precursor	•	•		
Prepolymers, oligomers and monomers			•	
Cellulose derivatives and pulps	•	•		
PVA / EVOH	•	•		
General	•	•	•	

Refinery products & Lu	brication			
Petrochemical products			•	•
Fuels			•	•
Bitumen, asphalt			•	
Waxes and paraffins			•	•
Lube oil				•
Mineral oils and fats			•	•
Silicons			•	•
General			•	•

Food & Pharma					
Food	•	•	•		
Pharmaceutical products	•	•	•		
Gum base General		•	•	•	
General	•	•	•		













dosix[™] and flexinox[™]



Corrosion-resistant gear pumps and dosing pumps for chemical processes

cinox®-V and therminox®-V



Stainless steel discharge pumps for chemical processes

cinox® and therminox®



Corrosion-resistant gear pumps for chemical processes

refinex® and refitherm®




Cast steel gear pumps for refinery and petrochemical processes

hydrolub®



Grey cast iron gear pumps for industrial processes





Quick Cleaning™ Kit

Kit for easier, quicker cleaning of pump components




As the name suggests, this revolutionary pump version comes with a possibility for quick, easy, complete cleaning of the pump internals without disassembling the flange from the drive system. The Quick Cleaning can improve the production and maintenance style without affecting the overall performance. This feature can be selected as a whole or applied to the existing pump series FX and DX.

Your benefits

- Easy and fast replacement of internal parts
- Reliability and longevity
- Safety
- Easy pump disassembly on the plant

Optimal for those media:

Quick Cleaning™ Kit 14-20 flow rate @ 0 bar ∆P



Application limits:	
Viscosity:	0.3 to 1,000 mPas
Temperature:	-30 to 100 °C
Suction pressure:	Vacuum up to 15 bar
Discharge pressure:	Vacuum up to 45 bar
Flow rate:	From 0.1 to 139 l/min

Suitable for:

Shaft seal:

Pump type: ■ Dosix series 20

Flexinox standard series



Gear shafts: • Stainless steel

Ferralium

Hastelloy



Bearing¹): ■ Zirconium Oxide ZrO₂

Synthetic carbon

Ceramic SSiC

Tegodyn NiAgManganese Bronze

Single mechanical seal for QC kit



Connections: SAE, CETOP, DIN and ANSI flanges

A range of typical pumping media

- Organic and inorganic chemicals
- Additives
- Cosmetic products
- Pharmaceutical products
- Food extracts and flavourings

Accessories

- All the accessories for DX and FX
- Couplings
- Motors and gear reducers
- Frequency converters

Certificates²⁾

- 3.1 certificate
- Performance test certificates

22 23

¹⁾ Other materials and designs available.

²⁾ Other certificates and conformities upon request.



72_EN_2021/04



Europe

Headquarters in Switzerland

Maag Pump Systems AG Oberglatt +41 44 27882-00 welcome@maag.com



Germany

Maag Germany GmbH Grossostheim +49 6026 503-0 info@maag.com



Maag Germany GmbH Xanten +49 2801 980-0 maag.xan.info@maag.com



XanTec Steuerungs- und Edv Technik GmbH Kevelaer-Kervenheim +49 2825 93 94-0 info@maag.com



Ettlinger Kunststoffmaschinen GmbH Königsbrunn +49 8231 34908-00 info.ettlinger@maag.com



France Maag Pump Systems SAS Villeurbanne +33 4 7268673-0 MaagFrance@maag.com



Italy

Maag Italy s.r.l. Rozzano (MI) +39 02 5759321 MaagItaly@maag.com



Americas

Brazil

Maag Automatik c/o Dover do Brasil Jundiai – SP +55 11 292366-00 InfoBrazil@maag.com



Ettlinger North America Atlanta, GA +1 770 703 8541 info.ettlinger@maag.com



Maag Reduction, Inc. Charlotte, NC +1 704 716 9000 Maag Americas@maag.com



Maag Gala, Inc. Eagle Rock, VA +1 540 884 2589 MaagAmericas@maag.com



Maag Reduction, Inc. Kent, Ohio +1 330 931 2225 MaagAmericas@maag.com





Asia-Pacific

China

Maag-Automatik Plastics Machinery (Shanghai) Co., Ltd. Jiading District, Shanghai, 201802 +86 21 8033 3200 MaagChina@maag.com





Maag China Guangzhou Branch Huangpu District, Guangzhou 510730

+86 20 8985 0116 MaagChina@maag.com



Maag Service (Taiwan) Ltd. Taipei City 106 +886 2 2703 6336 InfoTaiwan@maag.com



India

Maag Automatik c/o Dover India Pvt. Ltd. Vadodara, Gujarat +91 960 175286-4 (-5) MaagIndia@maag.com



Malaysia

Maag Service (Malaysia) Sdn. Bhd. Petaling Jaya Selangor +6 03 7842 2116 InfoSEA@maag.com



Thailand

Maag Systems (Thailand) Limited A. Sriracha, Chonburi +66 38 190840 Maag.BKK.Information @maag.com



You can find detailed information about our products in our print media at www.maag.com/brochures.



PELLETIZING &



RECYCLING SYSTEMS > (**) ETTLINGER



