

PUMP & FILTRATION SYSTEMS >



Industrial Gear Pumps



Applications for highly specific media

Carbon Fibres



MAAG pumps typically serve as Dope feed/transfer pumps in processing the carbon fibres. Considering the Polyacrylonitrile (PAN) in DMAc Solution, with about 20% of PAN in 80% solvent like DMAc (Dimethylacetamide) or DMSO (Dimethylsulfoxide), also consisting other components and small amounts

of water, the mixture has to be pumped through a tiny injector into a chamber where the solvent evaporates and a solid fibre is left out. For this purpose, MAAG pumps are designed to convey and dose the solution with high efficiency.

Gum Base



Processing of Gum bases (Elastomers, Resins, Waxes, Fats, Emulsifiers, Fillers and Antioxidants) involves several stages such as melting of gum base, mixing with additives and rolling of finished gum. Here, MAAG pumps typically serve, as transfer pumps or as booster pumps in each stage.

Hot Melt - Resin



For Hot melt adhesives used primarily for packaging, textiles, labels, tapes, pressure sensitive applications and other disposable products like stamps, MAAG provides metering/ transfer/loading pumps or Booster pumps; for instance, in front of a spray nozzle.

Molten Sulfur



Its production is ever increasing in refineries, natural gas plants, sulphuric acid plants, chemical production such as rubber additives or even in food products. It is also rapidly reaching new industries. Hence, safe handling of molten sulfur and the associated hydrogen sulfide emissions is becoming critical. MAAG pumps usually aid as High Temperature transfer pumps for such precarious applications.

Food & Pharma



MAAG can offer food-compliant pump executions with stainless steel housings/shafts, ceramic bearings and FDA certified sealings. With their good priming capability, MAAG pumps are well suitable in the pharmaceutical process where the temperatures vary widely, media have low viscosity and accuracy of flow rates is extremely important.

Industrial **Gear Pumps**

Gear pumps transport a wide variety of media in industrial production processes in general, in the chemical industry as well as in the pharmaceutical and food industries. The suitable gear pumps and pump systems can be found in MAAG's wide range of products by plant manufacturers and producers and processors of plastics.

> The range of requirements in terms of viscosity, pressure, temperature and corrosivity of the media being conveyed is very wide in the industrial sector.

Our portfolio of industrial gear pumps has exactly the required application depth and, thanks to a sophisticated modular system we can even meet the most difficult requirements reliably.

Thanks to our wide know-how in applications and our very own production, we can optimally design and manufacture the pump tailored to your process.

About us

The MAAG Group is a broadly diversified global solutions provider with integrated and customizable systems in process technology for the polymer, chemical, petrochemical, pharmaceutical and food industries. Its Pump & Filtration Systems, Pelletizing & Pulverizing Systems, Recycling Systems and Digitalization divisions consolidate the many years of experience and in-depth know-how of the AUTOMATIK, ETTLINGER, GALA, MAAG, REDUCTION, SCHEER and XANTEC product brands. The MAAG Group currently employs over 1,100 people at production sites in Switzerland, Germany, Italy, the USA, and China. Additional sales and service centers in France, Taiwan, Malaysia, India, Thailand and Brazil ensure close attention to customers' needs.



Spandex



For this application, MAAG pumps are used as spinning or dosing pumps. Spandex or elastane is a synthetic stretchy chemical fibre known for its exceptional elasticity. It exhibits properties similar to rubber, but is more solid and significantly more durable. Possessing viscosity of up to 1,000,000

mPas, the entire process requires a short dwelling time and is carried out under nitrogen (N2) because the medium reacts to oxygen. MAAG pumps, with their special inlet and seal design, fulfills the necessary requirements of all stages.

Vinyl Alcohol



The production of Ethylene vinyl alcohol copolymer (EVOH) is a two-step process of polymerization and saponification. Ethylene and vinyl acetate are polymerized using an initiator/activator complex. MAAG pumps serve as a transfer pumps for all stages in the process.

Lubrication and refinery products



MAAG offers customized solutions for simple applications such as grease lubrication, liquid oil, atomized oil (oil mist) or in demanding applications for refinery products like hydrocarbons, unrefined petroleum also in presence of hard particles with special bearings, special sealing designs and materials.

Flavours & Fragrances



Usually a mixture of raw products (fruits, herbs, etc.) and a base solvent (alcohol, acids, etc.). When it comes to manufacturing aromas, it's all about the highly accurate dosing of lowviscosity scent and aroma com-

ponents. MAAG pumps serve as low viscous distillate removal and corrosive residue removal pumps or serve as dosing pumps to accurately dose flavor additives into perfume.

Applications at site

MAAG industrial gear pumps are used in various phases in production or media transfer. Gear pumps convey the media from one production phase to the next and therefore are required to work continuously and with reliability. They need to withstand high pressures, high temperatures and highly corrosive materials but at the same time with the highest possible safety for operation.



Extraction from the container baths to the purifiers



Unloading from the marine tankers to the process areas



Our pump benefits

- Easy maintenance and
- replacement of internal parts Low NPSHr
- Corrosion resistance
- Extensive portfolio of seals In-house manufacturing of
- all core components
- Low shear

Technology

MAAG is known worldwide as a pioneer and technology leader in the development and manufacturing of gear pump systems and solutions. MAAG has always focused on keeping its technology up-to-date and tailor it to meet the needs of individual customers. We promise to go beyond your expectations in this regard.

Innovation

The result of our values and aspiration for customer satisfaction made our industrial pumps come alive. We are confident that the new optimized design, materials used, opens new doors in the application ranges. We promise that this innovation takes the flexibility and maintenance to the next level and ease the efforts put in by the customer in a pump's lifetime.

Quality


romse

E E!

3 1

Our customer satisfaction has been our top-most priority. Hence, we dedicate a major part of our resources in maintaining and enhancing the quality time-to-time. We promise better standards of quality with our innovations.

Unloading from truck to storage silos for various product range



Loading the storage silos from different phases of production



- Reliability and long life
- Precise displacement volume
- Energy efficient
- Dosing accuracy
- Less pulsation during
- pumping phase
- Wider range of temperature,
- pressure and viscosity



Our portfolio at a glance

Gear pumps made by MAAG – a sturdy and reliable solution.

			ain av/	cines M/	Kof : m o v (
ump	dosix™	flexinox™	cinox/ therminox	cinox V/ therminox V	refinex/ refitherm	hydrolub
	High		Chemical Re	sistance		Low
ample media						
Chemicals						
cids	•	•	•			
lvents	٠	•	•			
dditives	•	•	•			
atery media, cooling media, Detergents	•	•	•			
ints varnishes	•	•	•		•	•
avours and fragrances	•	•	•			
lolten sulfur eneral	•	•	•			
eneral	•	•	•			
T Resin						
olyurethane, Isocyanate		•	•			
olyurethane, Polyol					•	•
dhesives, Hotmelt		•		•	۲	
ooxy Resin		•	•	•	•	
eneral		•	•	•	•	
a =						
Plastics						
pandex				•		
arbon Fibres precursor		•	•			
epolymers, oligomers and monomers				•		
ellulose derivatives and pulps		•	•			
VA / EVOH		•	•			
eneral		•	•	•		
Definery products & Lubric	ation					
1 Refinery products & Lubrica	ation				•	•
etrochemical products Jels						•
tumen, asphalt						•
axes and paraffins					•	•
ibe oil						•
ineral oils and fats					•	•
licons					•	•
eneral					•	•
Food & Pharma						
ood	۲	•	•			
narmaceutical products	•	•	•			
um base		•	•	•		
eneral	•	•	•			

dosix[™] and flexinox[™]



Corrosion-resistant gear pumps and dosing pumps for chemical processes

cinox[®] and therminox[®]



Corrosion-resistant gear pumps for chemical processes

hydrolub®



Grey cast iron gear pumps for industrial processes



cinox[®]-V and therminox[®]-V



Stainless steel discharge pumps for chemical processes

refinex[®] and refitherm[®]



Cast steel gear pumps for refinery and petrochemical processes

cinox[®] therminox[®]

Corrosion-resistant gear pumps for chemical processes

cinox[®] and therminox[®] gear pumps are corrosion resistant and heatable stainless steel conveying units that satisfy the stringent quality requirements of today's chemical processing industry. Whether the applications involve highly pure, corrosive, viscous or very hot media, MAAG pump systems hold the solution to meet every pumping challenge. cinox[®] and therminox[®] are especially suitable for medium-high flow rates.

Your benefits


- Wide viscosity, temperature and pressure range
- High efficiencies due to tolerances being modified in line with applications

MAAG

- Precise displacement volume
- Self-priming
- Corrosion-resistance
- Reliability and longevity
- Safety

Optimal for those media:	ê: 术 🔏	ť
--------------------------	--------	---

cinox[®] therminox[®] 22-180 flow rate @ 0 bar ΔP



Application limits:	
Viscosity:	0.3 to 4,000,000 mPas
Temperature:	-30 to 320 °C
Suction pressure:	Vacuum up to 65 bar
Discharge pressure:	Vacuum up to 200 bar
Flow rate ¹⁾ :	0.1 to 2,400 l/min

Technical specifications:

Gear shafts: Stainless steel Ferralium Hastelloy Ceramic SSIC Technopolymer (upon request) Bearing ² : Synthetic carbon Stainless steel with carbon inserts Ceramic SSiC, ZrO2 Tegodyn NiAg Bronze CuAl Hardened tool steel Single or double mechanical seal Single or double mechanical balanced seal
 Stainless steel with carbon inserts Ceramic SSiC, ZrO2 Tegodyn NiAg Bronze CuAl Hardened tool steel Shaft seal: Single or double mechanical seal Single or double mechanical balanced seal
 Single or double mechanical balanced se
 Packing seal Sealing ring in a wide range of materials Sealing medium or heating medium conn Magnetic coupling with single or double
Connections: SAE, CETOP, DIN and ANSI flanges
Heating: Electrical heating by cartridges optional f Integrated channels for heating/cooling b liquids for therminox®



A range of typical pumping media

- Organic and inorganic chemicals
- Solvents
- Acids and alkalis
- Emulsions
- Sludges and condensates
- Prepolymers, oligomers, and monomers (PAN)
- Additives
- Resins
- Cellulose derivatives and pulps
- Silicones
- Waxes and paraffins
- Cosmetic products
- Pharmaceutical products
- Food extracts and flavourings
- Gum base
- Vegetable/animal oils and fats
- Molten Sulfur

Accessories

- Stands, motor flanges and base plates
- Product flange connections
- Couplings
- Motors and gear reducers
- Frequency converters
- Shaft seal systems (with buffer tanks)

Certificates³⁾

- ATEX certificate
- 3.1 certificate
- German Air Quality certificate (TA-Luft)
- Performance test certificates

Options

- Heated seals
- Bi-directional operation
- Special modifications for demanding applications
- ¹⁾ Higher flow rates upon request.
- ²⁾ Other materials and designs available.
- $\ensuremath{^{\scriptscriptstyle 3)}}$ Other certificates and conformities upon request.









ons available tainment shell

cinox® team or

Service around the clock. Worldwide.

Face-to-face. Digital.

For MAAG Group, "service" is far more than just supplying spare parts. Contacting and supporting a wide range of customers, from small and specialized ones to large multinational manufacturers, has provided us with expert service knowledge found nowhere else in the industry.

Our experts within our fields of competence support our customers remote or face to face by presenting solutions that fit their unique requirements. We start with the important step of a comprehensive process analysis. Only if all individual components of a system are ideally matched and coordinated, minimized waste, reduced downtimes, improved product quality, optimized production and reduced energy costs can be achieved. Thanks to networked machines, we can use real-time data to perform predictive maintenance on the customer's plant and optimize its operation and service life. Even remote start-ups are already possible today.

With a very large number of machines and systems installed at over 25,000 customers worldwide, MAAG Group has over the past decades built up a high level of expertise in pump technology, filtration, pelletizing, pulverizing, and recycling that is unique in the world. With a high level of expertise in control system technology and data processing, the digitalization experts of the MAAG Group develop investment projects with their customers - from the first rough idea to the handover of the operational plant. Specialized consulting and process support is an essential part of MAAG Group's current range of products and services and its extensive global network of services.

MAAG Group maintains service centers in Germany, Switzerland, Italy, Malaysia, the USA, Brazil, China, Thailand, and India. With these worldwide locations and their associated proximity to customers, we have earned a reputation for providing prompt, reliable service to our customers - before, during, and after the purchase. In addition, an extensive inventory of wear and spare parts is always available for immediate shipment. Since all spare parts are manufactured to original specifications, our customers can always rely on their design, quality, and reliability to keep their systems running at peak performance.

) MAAG

0

Learn more about the wide range of services offered by MAAG Group and our strong product brands AUTOMATIK, ETTLINGER, GALA, MAAG, REDUCTION, SCHEER and XANTEC. We look forward to collaborate with you!

www.maag.com welcome@maag.com T + 41 44 27882-00



Europe

Headquarters in Switzerland Maag Pump Systems AG Oberglatt +41 44 27882-00 welcome@maag.com

L. Ø X

Germany Maag Germany GmbH Grossostheim +49 6026 503-0 info@maag.com

Maag Germany GmbH Xanten +49 2801 980-0 maag.xan.info@maag.com XanTec Steuerungs- und Edv Technik GmbH Kevelaer-Kervenheim +49 2825 93 94-0 info@maag.com

Ettlinger Kunststoffmaschinen GmbH Königsbrunn +49 8231 34908-00 info.ettlinger@maag.com France Maag Pump Systems SAS Villeurbanne +33 4 7268673-0 MaagFrance@maag.com

Italy

Mag Italy s.r.l. Rozzano (MI) +39 02 5759321 MaagItaly@maag.com

Americas

Brazil Maag Automatik c/o Dover do Brasil Jundia – SP +55 11 292366-00 InfoBrazil@maag.com 𝒞 Ο

Asia-Pacific

China

Maag-Automatik Plastics Machinery (Shanghai) Co., Ltd. Jiading District, Shanghai, 201802 +86 21 8033 3200 MaagChina@maag.com

L & X 0 0

USA Ettlinger North America Atlanta, GA +1 770 703 8541 info.ettlinger@maag.com

Maag China Guangzhou Branch

Huangpu District, Guangzhou

510730

00

ØÖ

+86 20 8985 0116

Taipei City 106 +886 2 2703 6336 InfoTaiwan@maag.com

MaagChina@maag.com

Maag Service (Taiwan) Ltd.

Maag Reduction, Inc. Charlotte, NC +1 704 716 9000 MaagAmericas@maag.com

India

Maag Automatik

0×0

c/o Dover India Pvt. Ltd.

Vadodara, Gujarat +91 960 175286-4 (-5)

MaagIndia@maag.com

Maag Gala, Inc. Eagle Rock, VA +1 540 884 2589 MaagAmericas@maag.com Maag Reduction, Inc. Kent, Ohio +1 330 931 2225 MaagAmericas@maag.com

Malaysia Maag Service (Malaysia) Sdn. Bhd. Petaling Jaya Selangor +6 03 7842 2116 InfoSEA@maag.com **Thailand** Maag Systems

Maag Systems (Thailand) Limited A. Sriracha, Chonburi +66 38 190840 Maag.BKK.Information @maag.com

You can find detailed information about our products in our print media at www.maag.com/brochures.



PUMP & FILTRATION SYSTEMS > ② MAAG PELLETIZING & ④ GALA ③ AUTOMATIK PULVERIZING SYSTEMS > ③ SCHEER ③ REDUCTION RECYCLING SYSTEMS > ④ ETTLINGER DIGITALIZATION > ③ XANTEC

