



PUMP & FILTRATION SYSTEMS ›



Industrial Gear Pumps



Industrial Gear Pumps

Gear pumps transport a wide variety of media in industrial production processes in general, in the chemical industry as well as in the pharmaceutical and food industries. The suitable gear pumps and pump systems can be found in MAAG's wide range of products by plant manufacturers and producers and processors of plastics.

The range of requirements in terms of viscosity, pressure, temperature and corrosivity of the media being conveyed is very wide in the industrial sector.

Our portfolio of industrial gear pumps has exactly the required application depth and, thanks to a sophisticated modular system we can even meet the most difficult requirements reliably.


Thanks to our wide know-how in applications and our very own production, we can optimally design and manufacture the pump tailored to your process.

About us

» The MAAG Group is a broadly diversified global solutions provider with integrated and customizable systems in process technology for the polymer, chemical, petrochemical, pharmaceutical and food industries. Its Pump & Filtration Systems, Pelletizing & Pulverizing Systems, Recycling Systems and Digitalization divisions consolidate the many years of experience and in-depth know-how of the AUTOMATIK, ETTLINGER, GALA, MAAG, REDUCTION, SCHEER and XANTEC product brands. The MAAG Group currently employs over 1,100 people at production sites in Switzerland, Germany, Italy, the USA, and China. Additional sales and service centers in France, Taiwan, Malaysia, India, Thailand and Brazil ensure close attention to customers' needs. «

Applications for highly specific media

Carbon Fibres



MAAG pumps typically serve as Dope feed/transfer pumps in processing the carbon fibres. Considering the Polyacrylonitrile (PAN) in DMAc Solution, with about 20% of PAN in 80% solvent like DMAc (Dimethylacetamide) or DMSO (Dimethylsulfoxide), also consisting other components and small amounts of water, the mixture has to be pumped through a tiny injector into a chamber where the solvent evaporates and a solid fibre is left out. For this purpose, MAAG pumps are designed to convey and dose the solution with high efficiency.

Spandex



For this application, MAAG pumps are used as spinning or dosing pumps. Spandex or elastane is a synthetic stretchy chemical fibre known for its exceptional elasticity. It exhibits properties similar to rubber, but is more solid and significantly more durable. Possessing viscosity of up to 1,000,000 mPas, the entire process requires a short dwelling time and is carried out under nitrogen (N2) because the medium reacts to oxygen. MAAG pumps, with their special inlet and seal design, fulfills the necessary requirements of all stages.

Gum Base



Processing of Gum bases (Elastomers, Resins, Waxes, Fats, Emulsifiers, Fillers and Antioxidants) involves several stages such as melting of gum base, mixing with additives and rolling of finished gum. Here, MAAG pumps typically serve, as transfer pumps or as booster pumps in each stage.

Vinyl Alcohol



The production of Ethylene vinyl alcohol copolymer (EVOH) is a two-step process of polymerization and saponification. Ethylene and vinyl acetate are polymerized using an initiator/activator complex. MAAG pumps serve as a transfer pumps for all stages in the process.

Hot Melt - Resin



For Hot melt adhesives used primarily for packaging, textiles, labels, tapes, pressure sensitive applications and other disposable products like stamps, MAAG provides metering/transfer/loading pumps or Booster pumps; for instance, in front of a spray nozzle.

Lubrication and refinery products



MAAG offers customized solutions for simple applications such as grease lubrication, liquid oil, atomized oil (oil mist) or in demanding applications for refinery products like hydrocarbons, unrefined petroleum also in presence of hard particles with special bearings, special sealing designs and materials.

Molten Sulfur



Its production is ever increasing in refineries, natural gas plants, sulphuric acid plants, chemical production such as rubber additives or even in food products. It is also rapidly reaching new industries. Hence, safe handling of molten sulfur and the associated hydrogen sulfide emissions is becoming critical. MAAG pumps usually aid as High Temperature transfer pumps for such precarious applications.

Flavours & Fragrances



Usually a mixture of raw products (fruits, herbs, etc.) and a base solvent (alcohol, acids, etc.). When it comes to manufacturing aromas, it's all about the highly accurate dosing of low-viscosity scent and aroma components. MAAG pumps serve as low viscous distillate removal and corrosive residue removal pumps or serve as dosing pumps to accurately dose flavor additives into perfume.

Food & Pharma



MAAG can offer food-compliant pump executions with stainless steel housings/shafts, ceramic bearings and FDA certified sealings. With their good priming capability, MAAG pumps are well suitable in the pharmaceutical process where the temperatures vary widely, media have low viscosity and accuracy of flow rates is extremely important.

Our promise to you

Technology

MAAG is known worldwide as a pioneer and technology leader in the development and manufacturing of gear pump systems and solutions. MAAG has always focused on keeping its technology up-to-date and tailor it to meet the needs of individual customers. We promise to go beyond your expectations in this regard.

Innovation

The result of our values and aspiration for customer satisfaction made our industrial pumps come alive. We are confident that the new optimized design, materials used, opens new doors in the application ranges. We promise that this innovation takes the flexibility and maintenance to the next level and ease the efforts put in by the customer in a pump's lifetime.


Quality

Our customer satisfaction has been our top-most priority. Hence, we dedicate a major part of our resources in maintaining and enhancing the quality time-to-time. We promise better standards of quality with our innovations.

Applications at site

MAAG industrial gear pumps are used in various phases in production or media transfer. Gear pumps convey the media from one production phase to the next and therefore are required to work continuously and with reliability. They need to withstand high pressures, high temperatures and highly corrosive materials but at the same time with the highest possible safety for operation.


Unloading from truck to storage silos for various product range



Extraction from the container baths to the purifiers



Loading the storage silos from different phases of production



Unloading from the marine tankers to the process areas



Our pump benefits

- Easy maintenance and replacement of internal parts
- Low NPSHr
- Corrosion resistance
- Extensive portfolio of seals
- In-house manufacturing of all core components
- Low shear
- Reliability and long life
- Precise displacement volume
- Energy efficient
- Dosing accuracy
- Less pulsation during pumping phase
- Wider range of temperature, pressure and viscosity

Our portfolio at a glance

Gear pumps made by MAAG – a sturdy and reliable solution.

| Pump | Available with Quick Cleaning Kit™ | | | | | hydrolub |
|--|------------------------------------|-----------|---------------------|-------------------------|-----------------------|----------|
| | dosix™ | flexinox™ | cinox/ therminox | cinox V/ therminox V | refinex/ refitherm | |
| | High | | | | | Low |
| Example media | | | | | | |
| Chemicals | | | | | | |
| Acids | • | • | • | | | |
| Solvents | • | • | • | | | |
| Additives | • | • | • | | | |
| Watery media, cooling media, Detergents | • | • | • | | | |
| Paints varnishes | • | • | • | | • | • |
| Flavours and fragrances | • | • | • | | | |
| Molten sulfur | • | • | • | | | |
| General | • | • | • | | | |
| Resin | | | | | | |
| Polyurethane, Isocyanate | | • | • | | | |
| Polyurethane, Polyol | | | | | • | • |
| Adhesives, Hotmelt | | • | | • | • | |
| Epoxy Resin | | • | • | • | • | |
| General | | • | • | • | • | |
| Plastics | | | | | | |
| Spandex | | | | • | | |
| Carbon Fibres precursor | | • | • | | | |
| Prepolymers, oligomers and monomers | | | | • | | |
| Cellulose derivatives and pulps | | • | • | | | |
| PVA / EVOH | | • | • | | | |
| General | | • | • | • | | |
| Refinery products & Lubrication | | | | | | |
| Petrochemical products | | | | | • | • |
| Fuels | | | | | • | • |
| Bitumen, asphalt | | | | | • | |
| Waxes and paraffins | | | | | • | |
| Lube oil | | | | | • | • |
| Mineral oils and fats | | | | | • | • |
| Silicons | | | | | • | • |
| General | | | | | • | • |
| Food & Pharma | | | | | | |
| Food | • | • | • | | | |
| Pharmaceutical products | • | • | • | | | |
| Gum base | | • | • | • | | |
| General | • | • | • | | | |

Application/Media: Chemicals Resin Plastics Food & Pharma Refinery products & Lubrication

dosix™ and flexinox™



Corrosion-resistant gear pumps and dosing pumps for chemical processes

cinox®-V and therminox®-V



Stainless steel discharge pumps for chemical processes

cinox® and therminox®



Corrosion-resistant gear pumps for chemical processes

refinex® and refitherm®



Cast steel gear pumps for refinery and petrochemical processes

hydrolub®



Grey cast iron gear pumps for industrial processes



hydrolub®


Grey cast iron gear pumps for industrial processes




Continuously operated equipment calls for reliable components. Whether in lubrication oil applications or in processing plants, a pump is required to work reliably and long-lasting. Thanks to the extensive range of components and pump sizes, hydrolub® can be configured to suit customers' specific requirements and therefore, are far superior to standard pumps in terms of performance.

Your benefits

- High efficiencies (due to tolerances and small clearances being modified in line with applications)
- Precise displacement volume
- Self-priming
- Reliability and longevity
- Safety
- Low pulsations for oil applications (helical gears)

Optimal for those media: 

hydrolub® 22-180 flow rate @ 0 bar ΔP¹⁾



Application limits:

| | |
|----------------------------|-----------------------|
| Viscosity: | 0.3 to 4,000,000 mPas |
| Temperature: | -30 to 150 °C |
| Suction pressure: | Vacuum to 65 bar |
| Discharge pressure: | Vacuum to 120 bar |
| Flow rate: | 0.1 to 2,400 l/min |

Technical specifications:

Housing: ▪ Pressure-resistant cast iron



Gear shafts: ▪ Nitrided steel (spur, helical or coated)



Bearing²⁾: ▪ Manganese bronze
▪ Sintered iron
▪ Synthetic carbon
▪ Steel with carbon inserts
▪ Nitrided steel
▪ Nitrided steel coated
▪ Hardened tool steel
▪ Bronze – CuAl



Shaft seal: ▪ Lip seals and packing
▪ Single or double mechanical seal
▪ External mechanical seal
▪ Sealing medium or heating medium connections available
▪ Magnetic coupling with single or double containment shell



Connections: ▪ SAE, CETOP, DIN, and ANSI flanges

A range of typical pumping media

- Silicones
- Paints and varnishes
- Waxes and paraffins
- Mineral oils and fats
- Fuels
- Petrochemical products
- Lube oil

Accessories

- Stands, motor flanges and base plates
- Product connecting flanges
- Couplings
- Motors and gear reducers
- Frequency converters
- Shaft seal systems

Certificates³⁾

- ATEX certificates
- 3.1 certificate
- German Air Quality certificate (TA-Luft)
- Performance test certificates

Options

- Heated seals
- Bi-directional rotation
- Special modifications for demanding applications
- Integrated safety valve on request

¹⁾ Other pump sizes and higher flow rates available.

²⁾ Other materials and designs available.

³⁾ Other certificates and conformities upon request.

Service around the clock. Worldwide.

Face-to-face. Digital.

For MAAG Group, "service" is far more than just supplying spare parts. Contacting and supporting a wide range of customers, from small and specialized ones to large multinational manufacturers, has provided us with expert service knowledge found nowhere else in the industry.

Our experts within our fields of competence support our customers remote or face to face by presenting solutions that fit their unique requirements. We start with the important step of a comprehensive process analysis. Only if all individual components of a system are ideally matched and coordinated, minimized waste, reduced downtimes, improved product quality, optimized production and reduced energy costs can be achieved. Thanks to networked machines, we can use real-time data to perform predictive maintenance on the customer's plant and optimize its operation and service life. Even remote start-ups are already possible today.

With a very large number of machines and systems installed at over 25,000 customers worldwide, MAAG Group has over the past decades built up a high level of expertise in pump technology, filtration, pelletizing, pulverizing, and recycling that is unique in the world. With a high level of expertise in control system technology and data processing, the digitalization experts of the MAAG Group develop investment projects with their customers - from the first rough idea to the handover of the operational plant. Specialized consulting and process support is an essential part of MAAG Group's current range of products and services and its extensive global network of services.

MAAG Group maintains service centers in Germany, Switzerland, Italy, Malaysia, the USA, Brazil, China, Thailand, and India. With these worldwide locations and their associated proximity to customers, we have earned a reputation for providing prompt, reliable service to our customers – before, during, and after the purchase. In addition, an extensive inventory of wear and spare parts is always available for immediate shipment. Since all spare parts are manufactured to original specifications, our customers can always rely on their design, quality, and reliability to keep their systems running at peak performance.



Learn more about the wide range of services offered by MAAG Group and our strong product brands AUTOMATIK, ETTLINGER, GALA, MAAG, REDUCTION, SCHEER and XANTEC. We look forward to collaborate with you!

www.maag.com
welcome@maag.com
T + 41 44 27882-00



Your experts for Industrial Gear Pumps
Maag Italy s.r.l.
 +39 02 5759321
 MaagItaly@maag.com

- Manufacturing
- Sales
- Service
- Sharpening center
- Test and development

Europe

Headquarters in Switzerland

Maag Pump Systems AG
 Oberglatt
 +41 44 27882-00
 welcome@maag.com



Germany

Maag Germany GmbH
 Grossostheim
 +49 6026 503-0
 info@maag.com



Maag Germany GmbH
 Xanten
 +49 2801 980-0
 maag.xan.info@maag.com



XanTec Steuerungs- und
 Edv Technik GmbH
 Kevelaer-Kervenheim
 +49 2825 93 94-0
 info@maag.com



Ettlinger
 Kunststoffmaschinen GmbH
 Königsbrunn
 +49 8231 34908-00
 info.ettlinger@maag.com



France

Maag Pump Systems SAS
 Villeurbanne
 +33 4 7268673-0
 MaagFrance@maag.com



Italy

Maag Italy s.r.l.
 Rozzano (MI)
 +39 02 5759321
 MaagItaly@maag.com



Americas

Brazil

Maag Automatik
 c/o Dover do Brasil
 Jundiai – SP
 +55 11 292366-00
 InfoBrazil@maag.com



USA

Ettlinger North America
 Atlanta, GA
 +1 770 703 8541
 info.ettlinger@maag.com



Maag Reduction, Inc.
 Charlotte, NC
 +1 704 716 9000
 MaagAmericas@maag.com



Maag Gala, Inc.
 Eagle Rock, VA
 +1 540 884 2589
 MaagAmericas@maag.com



Maag Reduction, Inc.
 Kent, Ohio
 +1 330 931 2225
 MaagAmericas@maag.com



Asia-Pacific

China

Maag-Automatik Plastics
 Machinery (Shanghai) Co., Ltd.
 Jiading District, Shanghai, 201802
 +86 21 8033 3200
 MaagChina@maag.com



Maag China Guangzhou Branch
 Huangpu District, Guangzhou
 510730
 +86 20 8985 0116
 MaagChina@maag.com



Maag Service (Taiwan) Ltd.
 Taipei City 106
 +886 2 2703 6336
 InfoTaiwan@maag.com



India

Maag Automatik
 c/o Dover India Pvt. Ltd.
 Vadodara, Gujarat
 +91 960 175286-4 (-5)
 MaagIndia@maag.com



Malaysia

Maag Service
 (Malaysia) Sdn. Bhd.
 Petaling Jaya Selangor
 +6 03 7842 2116
 InfoSEA@maag.com



Thailand

Maag Systems
 (Thailand) Limited
 A. Sriracha, Chonburi
 +66 38 190840
 Maag.BKK.Information
 @maag.com



You can find detailed information about our products in our print media at www.maag.com/brochures.



- PUMP & FILTRATION SYSTEMS > MAAG
- PELLETIZING & GALA AUTOMATIK
- PULVERIZING SYSTEMS > SCHEER REDUCTION
- RECYCLING SYSTEMS > ETTLINGER
- DIGITALIZATION > XANTEC

www.maag.com

